# **REGULAR INFINITE ECONOMIES**

#### ENRIQUE COVARRUBIAS

ABSTRACT. Smooth infinite economies with separable utilities have individual demand functions described by Fredholm maps. Interpreting the aggregate excess demand function as a Z-Rothe vector field on the price space, allows us to use Tromba's extension of the Poincaré-Hopf theorem. We study parametric transversality of excess demand functions and we study the number of equilibria, showing that generically they are odd.

### 1. INTRODUCTION

Determinacy of competitive equilibria for economies with an infinite number of commodities has presented us with many challenges. Araujo [2], loosely speaking, shows that for general Banach spaces a demand function will exist if and only the commodity space is reflexive. He also shows that even if the demand function exists, it will be  $C^1$  if and only if the commodity space is actually a Hilbert space.

Different approaches exist then to attack this problem. Because of Araujo's results, Kehoe et al [7] study determinacy of equilibrium where the commodity set is a Hilbert space. The disadvantage of this approach, as they put it, is that the price domain (and, implicitly, the consumption set) has an empty interior. This means that they are allowing, to some extent, negative prices and consumption.

A second approach consists in using a weakened version of differentiability. Shannon [10] and Shannon and Zame [11] introduce the

Date: May 1, 2007.

Key words and phrases. Fredholm map, Z-Rothe vector field, index theorem, general equilibrium, infinite economy.

Research support from the Mexican Council of Science and Technology is gratefully acknowledged.

The author wishes to thank his PhD supervisor Michael Singer for his invaluable guidance and Leo Butler, Tarek Coury, Glenys Luke and John Quah for many helpful conversations; the author was a visiting student at St Hugh's College, Oxford and thanks the hospitality.

JEL classification: D50, D51.

### ENRIQUE COVARRUBIAS

notion of quadratic concavity and demonstrate that Lipschitz continuity of the excess spending map is sufficient to yield generic determinacy.

A third approach is to assume separable utilities so that equilibrium conditions are described by Fredholm maps which extend differential topology to infinite dimensions. Chichilnisky and Zhou [4] point out that the literature typically takes as the price space the natural positive cone of the dual space of the commodity set. However, with separable utility functions, only a small subset of the price space can support equilibria. There is no loss of information from discarding those elements that do not support equilibria. Chichilnisky and Zhou show that smooth infinite economies with separable utilities have locally unique equilibria and this is the path that we wish to follow.

It is our aim to show, in the spirit of Dierker [5] (see also [14]), that the number of equilibria of infinite economies is odd. We do this by showing that the aggregate excess demand function defines a Z-Rothe vector field which allows constructing a Poincaré-Hopf index on the infinite dimensional price space.

In section 2, we study aggregate excess demand functions; our main result is that they define a Z-Rothe vector field. In section 3 we study parametric transversality and we then show that most economies have an aggregate excess demand function with isolated zeros. Then, in section 4, we construct an index theorem for smooth infinite economies, showing that the number of equilibria is generically odd.

## 2. The Structure of Aggregate Excess Demand Functions

2.1. The Market. Let M be a compact Riemannian manifold. Then  $C(M, \mathbb{R}^n)$  is a separable topological vector space for which the interior of the positive cone is non-empty (see [4]). The consumption space is  $X = C^{++}(M, \mathbb{R}^n)$ , the positive cone of  $C(M, \mathbb{R}^n)$ , and the **price** space  $S = \{P \in C^{++}(M, \mathbb{R}^n) : ||P|| = 1\}$ . We denote by  $\langle \cdot, \cdot \rangle$  the inner product on  $C(M, \mathbb{R}^n)$ .

We consider a finite number I of agents. An **exchange economy** is parametrized for each agent i = 1, ..., I by their initial endowments  $\omega_i \in X$  and their individual demand functions  $f_i : S \times (0, \infty) \to X$ . The maps  $f_i(P(t), w)$  are solutions to the optimization problem

$$\max_{\langle P(t), y \rangle = w} W_i(y)$$

where  $W_i(x)$  is a separable utility function, i.e., it can be written as

$$W_i(x) = \int_M u^i(x(t), t) dt$$

We assume  $u^i(x(t), t) : \mathbb{R}^n_{++} \times M \to \mathbb{R}$  is a strictly monotonic, concave,  $C^2$  function where  $\{y \in R^n_{++} : u^i(y, t) \ge u^i(x, t)\}$  is closed. This implies (see [4]) that  $W_i(x)$  is strictly monotonic, concave and twice Fréchet differentiable.

2.2. Fredholm Index Theory. We will be using tools of differential topology in infinite dimensions. Therefore, we would like our maps to be Fredholm as introduced by S. Smale (see [12]).

A (linear) **Fredholm operator** is a continuous linear map  $L: E_1 \rightarrow E_2$  from one Banach space to another with the properties:

- (1) dim ker  $L < \infty$
- (2) range L is closed
- (3) coker  $L = E_2/\text{range}L$  has finite dimension

If L is a Fredholm operator, then its **index** is dim kerL- dim cokerL, so that the index of L is an integer.

A **Fredholm map** is a C' map  $f : M \to V$  between differentiable manifolds locally like Banach spaces such that for each  $x \in M$  the derivative  $Df(x) : T_x M \to T_{f(x)} V$  is a Fredholm operator. The **index** of f is defined to be the index of Df(x) for some x. If M is connected, this definition does not depend on x.

2.3. Individual Demand Functions. Chichilnisky and Zhou [4] show that for separable utilities the individual demand functions satisfy

- (1)  $\langle P, f_i(P, w) \rangle = w$  for any  $P \in S$  and for any  $w \in (0, \infty)$
- (2)  $u_x^i(f_i(P(t), w), t) = \lambda P(t)$  for some  $\lambda > 0$
- (3)  $f_i: S \times (0, \infty) \to X$  is a diffeomorphism
- (4)  $f_i: S \times (0, \infty) \to X$  is a Fredholm map of index zero

2.4. Aggregate Excess Demand Functions. In this paper we assume that the individual demand functions are fixed, so that the only parameters defining an economy are the initial endowments. Denote  $\omega = (\omega_1, \ldots, \omega_I) \in \Omega = X^I$ . For a fixed economy  $\omega \in \Omega$  the aggregate excess demand function is a map  $Z_{\omega} : S \to C(M, \mathbb{R}^n)$  defined by

$$Z_{\omega}(P) = \sum_{i=1}^{I} (f_i(P, \langle P, \omega_i \rangle) - \omega_i)$$

We also define  $Z: \Omega \times S \to C(M, \mathbb{R}^n)$  by the evaluation

$$Z(\omega, P) = Z_{\omega}(P)$$

**Definition 1.** We say that  $P \in S$  is an equilibrium of the economy  $\omega \in \Omega$  if  $Z_{\omega}(P) = 0$ . We denote the equilibrium set

$$\Gamma = \{(\omega, P) \in \Omega \times S : Z(\omega, P) = 0\}$$

We wish to explore the structure of aggregate excess demand functions. Below, we show that it can be interpreted as a vector field on the price space and that it is a Fredholm map.

**Proposition 1.** The excess demand function  $Z_{\omega} : S \to C(M, \mathbb{R}^n)$  of economy  $\omega \in \Omega$  is a vector field on S.

*Proof.* Since  $\langle P, f_i(P, y) \rangle = y$  for any  $P \in S$  and for any  $y \in (0, \infty)$ , then

$$\langle P, Z_{\omega}(P) \rangle = \langle P, \sum_{i=1}^{I} (f_i(P, \langle P, \omega_i \rangle) - \omega_i) \rangle$$

$$= \sum_{i=1}^{I} \langle P, f_i(P, \langle P, \omega_i \rangle) \rangle - \sum_{i=1}^{I} \langle P, \omega_i \rangle$$

$$= \sum_{i=1}^{I} \langle P, \omega_i \rangle - \sum_{i=1}^{I} \langle P, \omega_i \rangle$$

$$= 0$$

-	-	-	

Denote by TS the tangent bundle of S and  $TS_0$  its zero section. We can then interpret  $Z_{\omega}$  as a section of TS and an equilibrium as a point where this section intersects  $TS_0$ .

## 2.5. The Fredholm Index of the Excess Demand.

**Proposition 2.** The excess demand function  $Z_{\omega} : S \to C(M, \mathbb{R}^n)$  of economy  $\omega \in \Omega$  is a Fredholm map of index zero.

*Proof.* Chichilnisky and Zhou [4] have shown that the derivative  $Df_i$  of each individual demand function is a linear Fredholm operator of index zero. This is because  $Df_i$  can be written as the sum of the finite rank operator

$$-\frac{\lambda \langle P(t), (u_{xx}^i)^{-1}DP(t) \rangle + \langle DP(t), f_i \rangle}{\langle P(t), (u_{xx}^i)^{-1}P(t) \rangle} (u_{xx}^i)^{-1}P(t)$$

and the invertible operator

$$\frac{(u_{xx}^{i})^{-1}P(t)}{\langle P(t), (u_{xx}^{i})^{-1}P(t) \rangle} Dw + \lambda (u_{xx}^{i})^{-1}DP(t)$$

In general the sum of two Fredholm operators of index zero is not again a Fredholm operator of index zero. However, the matrix  $(u_{xx}^i)$  is negative definite, and every negative definite matrix is invertible and its inverse is also negative definite.

2.6. **Z-Rothe vector fields.** Knowing that the excess demand function is a vector field on the price space, and that is a Fredholm map for which we know its index, we would like to give it the structure of a Z-Rothe vector field (see [13]). In section 4 it will become clear that we need a vector field that is outward pointing, so we insist  $-Z_{\omega}$  to be Z-Rothe.

Let E be a Banach space and  $\mathcal{L}(E)$  be the set of linear continuous maps from E to itself. Denote by  $G\mathcal{L}(E)$  the general linear group of E; that is, the set of invertible linear maps in  $\mathcal{L}(E)$ . Let C(E) be the linear space of compact linear maps from E to itself.

We write  $\mathcal{S}(E) \subset G\mathcal{L}(E)$  to denote the maximal starred neighborhood of the identity in  $G\mathcal{L}(E)$ . Formally

$$\mathcal{S}(E) = \{ T \in G\mathcal{L}(E) : (\alpha T + (1 - \alpha)I) \in G\mathcal{L}(E), \forall \alpha \in [0, 1] \}$$

The **Rothe set** of E is defined as

$$\mathcal{R}(E) = \{A : A = T + C, T \in \mathcal{S}(E), C \in C(E)\}$$

and its invertible members by  $G\mathcal{R}(E) = \mathcal{R}(E) \cap G\mathcal{L}(E)$ .

A  $C^1$  vector field X on a Banach manifold M is **Z-Rothe** if whenever  $X(p) = 0, DX(P) \in \mathcal{R}(T_PM)$ 

**Proposition 3.** The negative of the excess demand function,  $-Z_{\omega}$ :  $S \rightarrow TS$  is a Z-Rothe vector field.

*Proof.* From the proof of proposition 2, we know that  $-Z_{\omega}$  can be written as the sum of a finite rank operator and an invertible operator. All we need to show then is that

$$\alpha \left[ -\frac{(u_{xx}^{i})^{-1}P(t)}{\langle P(t), (u_{xx}^{i})^{-1}P(t) \rangle} Dw - \lambda (u_{xx}^{i})^{-1}DP(t) \right] + (1-\alpha)I$$

is invertible for all  $\alpha \in [0,1]$ . But this sum is just a homotopy of positive-definite operators.

## 3. Determinacy of equilibrium

In this section we wish to show parametric transversal density. We first need to give a manifold structure to the equilibrium set  $\Gamma$ .

## 3.1. Regular Values.

**Proposition 4.** The derivative of the map  $Z : \Omega \times S \rightarrow TS$  is a surjective map. In particular, it has 0 as a regular value.

*Proof.* We need to compute the derivative  $DZ : T(\Omega \times S) \to T(TS)$ . Linearizing  $Z(\omega, P)$  to first order in  $\epsilon$  and letting  $y_i = \langle P, \omega_i \rangle$ , we get

$$Z(\omega_{1} + \epsilon k_{1}, \dots, \omega_{I} + \epsilon k_{I}, P + \epsilon h)$$

$$= \sum f_{i}(P + \epsilon h, \langle P + \epsilon h, \omega_{i} + \epsilon k_{i} \rangle) - \sum (\omega_{i} + \epsilon k_{i})$$

$$= \sum f_{i}(P + \epsilon h, \langle P, \omega_{i} \rangle + \epsilon \langle P, k_{i} \rangle + \epsilon \langle h, \omega_{i} \rangle) - \sum \omega_{i} - \epsilon \sum k_{i}$$

$$= \sum [f_{i}(P, \langle P, \omega_{i} \rangle) + \epsilon (D_{y_{i}}f_{i})_{(P,\langle P,\omega_{i} \rangle)}(\langle P, k_{i} \rangle) +$$

$$+ \epsilon (D_{y_{i}}f_{i})_{(P,\langle P,\omega_{i} \rangle)}(\langle h, \omega_{i} \rangle) + \epsilon (D_{P}f_{i})_{(P,\langle P,\omega_{i} \rangle)}(h)] - \sum \omega_{i} - \epsilon \sum k_{i}$$

$$= Z(\omega_{1}, \dots, \omega_{I}, P) +$$

$$+ \epsilon \sum [(D_{P}f_{i})_{(P,\langle P,\omega_{i} \rangle)}(h) + (D_{y_{i}}f_{i})_{(P,\langle P,\omega_{i} \rangle)}(\langle P, k_{i} \rangle + \langle h, \omega_{i} \rangle) - k_{i}]$$

 $\operatorname{So}$ 

$$DZ_{(\omega,P)}(k_1,\ldots,k_I,h)$$
  
=  $\sum_{i=1}^{I} \left[ (D_P f_i)_{(P,\langle P,\omega_i \rangle)}(h) + (D_{y_i} f_i)_{(P,\langle P,\omega_i \rangle)}(\langle P,k_i \rangle + \langle h,\omega_i \rangle) - k_i \right]$ 

Or in matrix form,  $DZ_{(\omega,P)} =$ 

To compute the cokernel let

$$DZ_{(\omega,P)}(k_1,\ldots,k_I,h) = (Q,\dot{Q}) \in T(TS)$$

We need to solve for  $(k_1, \ldots, k_I, h)$ . We first observe that h = Q. The second row would then be,

$$\sum \{ [(D_{y_i} f_i)(\langle P, k_i \rangle) - (k_i)] + [(D_P f_i)(Q)] + [(D_{y_i} f_i)(\langle Q, \omega_i \rangle)] \} = \dot{Q}$$
  
Then

(1) 
$$\sum \left[ (D_{y_i} f_i)(\langle P, k_i \rangle) - (k_i) \right] = H(Q, \dot{Q})$$

where

$$H(Q, \dot{Q}) = \dot{Q} - \sum \{ [(D_P f_i)(Q)] + [(D_{y_i} f_i)(\langle Q, \omega_i \rangle)] \}$$
  
But for every  $i = 1, \dots, I$ ,  $(D_{y_i} f_i)(\langle P, k_i \rangle) - (k_i)$  is onto. And, there-  
fore, so is  $DZ$ .

3.2. The Infinite Equilibrium Manifold. Knowing that 0 is a regular value of Z we would like to give the equilibrium set  $\Gamma$  the structure of a Banach manifold.

Quinn [9] defines a  $C^{\infty}$  representation of maps  $\rho : A : M \to N$ consisting of a Banach manifold A together with a function  $\rho : A \to C^{\infty}(M, N)$  such that the evaluation map

$$Ev_{\rho}: A \times M \to N; (a, m) \mapsto \rho_a(m)$$

is  $C^{\infty}$ . In our situation,  $Ev_{\rho} : A \times M \to N$  corresponds to  $Z : \Omega \times S \to TS$ .

Suppose we have a  $C^{\infty}$  map  $F: W \to N$  which is transversal to  $Ev_{\rho}$ . If we form the pullback diagram

$$P \xrightarrow{g} W$$

$$h \downarrow \qquad F \downarrow$$

$$A \times M \xrightarrow{Ev_{\rho}} N$$

$$\pi_{A} \downarrow$$

$$A$$

where  $P = (Ev_{\rho} \times F)^{-1}(\Delta_N)$ , then P is a  $C^{\infty}$  Banach manifold, and  $\pi_a \circ h$  is a  $C^{\infty}$  map.

**Proposition 5.** The equilibrium set  $\Gamma$  is a  $C^{\infty}$  Banach manifold of dimension equal to dim ker DZ. We shall call it the **equilibrium** manifold. Furthermore the natural projection map  $pr_{\Omega} : \Omega \times S|_{\Gamma} \to \Omega$  is a  $C^{\infty}$  map.

*Proof.* Notice that the inclusion  $0 \to C(M, \mathbb{R}^n)$  is a  $C^{\infty}$  map. We also know from Proposition 4 that DZ is surjective, so it has 0 as a regular value. Then, we can form the pullback diagram



and as in diagram (2) we get that  $\Gamma$  is a  $C^{\infty}$  Banach manifold and the natural projection map is a  $C^{\infty}$  map.

## 3.3. Regular Economies.

**Definition 2.** We say that an economy is **regular** (resp. **critical**) if and only if  $\omega$  is a regular (resp. critical) value of the projection  $pr: \Gamma \to \Omega$ .

**Definition 3.** Let  $Z_{\omega}$  be the excess demand of economy  $\omega$ . A price system  $P \in S$  is a **regular equilibrium price** system if and only if  $Z_{\omega}(P) = 0$  and  $DZ_{\omega}(P)$  is surjective.

We would like to compare the set of regular economies with those economies whose excess demand function has only regular prices. Quinn [9] will tell us that these two sets coincide; precisely, in diagram (2),  $\rho_a \pitchfork F$  if and only if a is a regular value of  $\pi_A \circ h$ 

And so we get,

**Proposition 6.** The economy  $\omega \in \Omega$  is regular if and only if all equilibrium prices of  $Z_{\omega}$  are regular.

*Proof.* Consider the diagram

### ENRIQUE COVARRUBIAS

Quinn's result says that the excess demand  $Z_{\omega}$  is transversal to zero if and only if 0 is a regular value of  $pr_{\Omega}$ .

3.4. **Determinacy of equilibrium.** We would now like to understand how big is the set of economies that give an excess demand function with all equilibrium prices being regular. For that, we need a couple of definitions.

A left Fredholm map is a map of Banach manifolds of class at least  $C^1$  whose derivative at each point has closed image and finite dimensional kernel.

A map is  $\sigma$ -proper if its domain is the countable union of sets, restricted to each of which the function is proper.

Quinn [9] has also proves that a transversal density theorem holds in infinite dimensions.

**Theorem 1.** [9] Let  $\rho : A : M \to N$  be a  $C^{\infty}$  representation of left Fredholm maps, M separable, and  $F : W \to N$  a  $C^{\infty} \sigma$ -proper left Fredholm map. If further

- (1) F is transversal to  $Ev_{\rho}$ , and
- (2) each  $\rho_a$  satisfies that for each  $m \in M$  and  $w \in W$  such that  $\rho_a(m) = F(w)$ , then  $(imT_m\rho_a) \cap (imT_wF)$  is finite dimensional

then the set of a with  $\rho_a \pitchfork F$  is residual in A.

The infinite-dimensional transversal density theorem can be used to give us an alternative proof that almost all economies are regular.

**Proposition 7.** Almost all economies are regular. That is, the set of economies  $\omega \in \Omega$  transversal to zero are residual in  $\Omega$ .

*Proof.* We have seen that  $Z_{\omega} : S \to TS$  is a Fredholm map. In particular it is a left Fredholm map. Observe that the inclusion  $0 \to C(M, \mathbb{R}^n)$  is  $\sigma$ -proper.

We also know that  $Z(\omega, P)$  has 0 as a regular value since  $DZ(\omega, P)$ is surjective. Finally, for each  $P \in S$  such that  $Z_{\omega}(P) = 0$  we have

$$(\operatorname{im} T_P Z_\omega) \cap (\operatorname{im} T_0 0)$$

is finite dimensional since obvioulsy 0 is finite. Therefore, theorem 1 implies the result.  $\hfill \Box$ 

### 4. The Index Theorem of Smooth Infinite Economies

Knowing that most economies are regular we need to find a right way of counting the number of equilibria. With an excess demand function that is a Fredholm map, we may use tools of infinite-dimensional differential topology that resembles the finite dimensional case. This is why the proof of the index theorem in our setting is very similar to that of Dierker [5].

Suppose that the excess demand satisfies the boundary assumption of [5], namely that if  $P_n \in S$  and  $P_n \to P \in \partial S$ , then  $||Z_{\omega}(P_n)|| \to \infty$ . Suppose also that  $Z_{\omega}$  is bounded below. Then  $-Z_{\omega}$  points outwards. Finally, assume that there are only finitely many zeros.

4.1. Euler Characteristic. A zero P of a vector field X is nondegenerate if  $DX(P) : T_PM \to T_PM$  is an isomorphism.

Suppose that a Z-Rothe vector field X has only nondegenerate zeros, and let P be one of them. Then,  $DX(P) \in G\mathcal{R}(E)$ . Tromba [13] shows that  $G\mathcal{R}(E)$  has two components;  $G\mathcal{R}^+(E)$  denotes the component of the identity. Define

$$sgnDX(P) = \begin{cases} +1, & \text{if } DX(P) \in G\mathcal{R}^+(T_PM) \\ -1, & \text{if } DX(P) \in G\mathcal{R}^-(T_PM) \end{cases}$$

The **Euler characteristic** is then given by the formula

$$\chi(X) = \sum_{P \in Zeros(X)} sgnDX(P)$$

Tromba also shows that this Euler characteristic is invariant under homotopy of vector fields. All we have to do is to construct a vector field on S that has only one singularity and that is homotopic to  $Z_{\omega}$ .

### ENRIQUE COVARRUBIAS

## 4.2. The Index Theorem of Smooth Infinite Economies.

**Proposition 8.** Suppose that an aggregate excess demand function  $Z_{\omega}$  is bounded from below and that it satisfies the boundary assumption. Suppose also that  $Z_{\omega}$  has only finitely many singularities and that they are all nondegenerate. Then,

$$\sum_{P \in ZerosZ_{\omega}} sgn\left[-DZ_{\omega}(P)\right] = 1$$

*Proof.* For any fixed  $Q \in C^{++}(M, \mathbb{R}^n)$  define the vector field  $Z^Q : \overline{S} \to TS$  given by

$$Z^{Q}(P) = \left[\frac{Q(t)}{\langle P(t), Q(t) \rangle}\right] - P(t)$$

By construction,  $Z^Q(P)$  has only one zero and is inward-pointing. Its derivative  $DZ^Q_{(P)}: T\bar{S} \to T(TS)$  is given by

$$DZ^Q_{(P)}(h) = -\frac{Q\langle h, Q\rangle}{\langle P, Q\rangle^2} - h$$

where  $-\frac{Q\langle h,Q\rangle}{\langle P,Q\rangle^2}$  is compact and -h is invertible; then  $DZ^Q \in \mathcal{R}(T_PS)$ . Now let

(3) 
$$-\frac{Q\langle h,Q\rangle}{\langle P,Q\rangle^2} - h = h'$$

We need to solve for h. Then,

$$Q\langle h, Q\rangle + h\langle P, Q\rangle^2 = -h'\langle P, Q\rangle^2$$

Acting Q on both sides we get,

$$\langle Q, Q \rangle \langle h, Q \rangle + \langle h, Q \rangle \langle P, Q \rangle^2 = -\langle h', Q \rangle \langle P, Q \rangle^2$$

Solving for  $\langle h, Q \rangle$  we get

$$\langle h, Q \rangle = \frac{-\langle h', Q \rangle \langle P, Q \rangle^2}{\langle Q, Q \rangle + \langle P, Q \rangle^2}$$

where the denominator never vanishes since  $Q \in C^{++}(M, \mathbb{R}^n)$ . Substituting  $\langle h, Q \rangle$  in 3 we then get

$$h = h' + \frac{Q}{\langle P, Q \rangle^2} \left[ \frac{\langle h', Q \rangle \langle P, Q \rangle^2}{\langle Q, Q \rangle + \langle P, Q \rangle^2} \right]$$

This shows that  $DZ^Q$  is invertible and therefore  $DZ^Q \in G\mathcal{R}(T_PS)$ . Furthermore, since it is not in the same component of the identity it has to be in  $G\mathcal{R}^-(T_PS)$  and its only zero has index -1. The vector field  $Z^Q$  is inward pointing so reversing orientation will make outward pointing with index of +1.

## References

- Abraham, R. and Robbin, J. Transversal Maps and Flows. Benjamin, New York, 1967.
- [2] Araujo, A. The Non-Existence of Smooth Demand in General Banach Spaces. Journal of Mathematical Economics 17 (1988) 309-319.
- [3] Balasko, Y. Foundations of the Theory of General Equilibrium Academic Press Inc., 1988.
- [4] Chichilnisky, G. and Zhou, Y. Smooth Infinite Economies. Journal of Mathematical Economics 29 (1998) 27-42.
- [5] Dierker, E. Two Remarks on the Number of Equilibria of an Economy. Econometrica 40 (1972) 951-953.
- [6] Dierker, E. Regular Economies. Handbook of Mathematical Economics, vol.2, edited by K.J. Arrow and M.D. Intriligator. North-Holland Publihing Company, 1982.
- [7] Kehoe, T.J., Levine, D.K., Mas-Colell, A. and Zame, W.R. Determinacy of Equilibrium in Large-Scale Economies. Journal of Mathematical Economics 18 (1989) 231-262.
- [8] Mas-Colell, A. The Theory of General Economic Equilibrium: A Differentiable Approach Econometric Society Monographs 9, Cambridge University Press, 1985.
- Quinn, F. Transversal Approximation on Banach Manifolds. 1970 Global Analysis (Proc. Sympos. Pure Math., Vol. XV, Berkeley, Calif., 1968) pp. 213–222 Amer. Math. Soc., Providence, R.I.
- [10] Shannon, C. Determinacy of competitive equilibria in economies with many commodities. Economic Theory 14 (1999) 29-87.
- [11] Shannon, C. and Zame, W.R. Quadratic Concavity and Determinacy of Equilibrium. Econometrica 70 (2002) 631-662.
- [12] Smale, S. An Infinite Dimensional Version of Sard's Theorem. American Journal of Mathematics 87 (1965) 861-866.
- [13] Tromba, A.J. The Euler characteristic of Vector Fields on Banach Manifolds and a Globalization of Leray-Schauder Degree Advances in Mathematics 28 (1978) 148-173.
- [14] Varian, H.L. A Third Remark on the Number of Equilibria of an Economy Econometrica 43 (1975) 985-986.

School of Mathematics, The University of Edinburgh, Edinburgh EH9 3JZ, United Kingdom.

PHONE: +44 (0) 131 6505079, FAX: +44 (0) 131 6506553 *E-mail address*: Enrique.C@ed.ac.uk